



This marine-grade aluminum distribution panel is generally used for highways lighting control. It is a base mount design with the cables entering and exiting on the bottom, with a provision for mounting a meter socket on the outside.



## Features/Specifications

- Marine-grade aluminum construction
- Removeable lifting ears
- Powder coated ASA 61 Grey
- NEMA 3R rated
- All doors have a padlockable stainless steel 3-point latch mechanism and gas shock door stays
- Designed to fit precast base
- Deadfront wireways (conduit extensions not required)
- Service entrance rated main breaker
- Single phase feed 120/240V feed
- Branch circuit capable of 24 sub breakers

## Options

- Lighting contactors
- Flasher controls
- Sub breakers as required
- Meter base
- Heater and thermostat
- Cooling fan
- Up to 22 kAIC rated breakers
- Built in photocell, HOA and service receptacle

PART NUMBER	HEIGHT	WIDTH	DEPTH	MAIN SERVICE	MAIN BREAKER	PANEL CCTS
ADPA160	48"	25"	21"	120/240V 60A 1PH	60A 2P	24
ADPA1100	48"	25"	21"	120/240V 100A 1PH	100A 2P	24
ADPA1125	48"	25"	21"	120/240V 125A 1PH	125A 2P	24
ADPA1200	48"	25"	21"	120/240V 200A 1PH	200A 2P	24

CONSULT FACTORY FOR OPTIONAL SIZES AND CONFIGURATIONS

